

The logo for Accurate Test Lab features a stylized blue 'A' with a black triangle at its base. Below the 'A', the word 'ACCURATE' is written in large, bold, blue capital letters, and 'TEST LAB' is written in smaller, black capital letters underneath. The background of the logo area shows a faint, geometric pattern of intersecting lines.**Analysis Date:**

Photo

Abraham Jacaman
Laboratory Manager

[illegible]

Total Cannabinoids

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDa) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)
Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-9-Tetrahydrocannabinol(D8-THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC)
Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabiazole Acid(THCA) Delta-9-Tetrahydrocannabiphoriol(D9-THCP) Delta-9-Tetrahydrocannabinol-O-Acetate (D8-THCO)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)



info@accuratetestlab.com

Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>>